ELSEVIER

Discrete Mathematics 187 (1998) 299–300

DISCRETE MATHEMATICS

Author index to volume 187 (1998)

Alfonsín, J.L.R., see D. Forge	(1–3)	109–121
Amin, A.T., L.H. Clark and P.J. Slater, Parity dimension for graphs	(1–3)	1– 17
Barnette, D.W., Contractible circuits in 3-connected graphs	(1–3)	19– 29
Behr, A. and L. Camarinopoulos, On the domination of hypergraphs by their edges	(1–3)	31– 38
Bohus, G., W. Jockusch, C.W. Lee and N. Prabhu, On a triangulation of the 3-ball and the solid torus (*Note*)	(1–3)	259–264
Bonin, J.E., On basis-exchange properties for matroids (*Note*)	(1–3)	265–268
Camarinopoulos, L., see A. Behr	(1–3)	31– 38
Clark, L.H., see A.T. Amin	(1–3)	1– 17
Curtin, B., 2-Homogeneous bipartite distance-regular graphs	(1–3)	39– 70
Dahlhaus, E., P.D. Manuel and M. Miller, A characterization of strongly chordal graphs (*Note*)	(1–3)	269–271
Deutsch, E., A bijection on Dyck paths and its consequences (Note) [Discrete Math. 179 (1998) 253–256] (*Corrigendum*)	(1–3)	297
Du, B., K_{1,p^2}-factorization of complete bipartite graphs (*Note*)	(1–3)	273–279
Dulucq, S., S. Gire and O. Guibert, A combinatorial proof of J. West's conjecture	(1–3)	71– 96
Fiedler, M., Additive compound graphs	(1–3)	97–108
Forge, D. and J.L.R. Alfonsín, Connected coverings and an application to oriented matroids	(1–3)	109–121
Gire, S., see S. Dulucq	(1–3)	71– 96
Guibert, O., see S. Dulucq	(1–3)	71– 96
Hahn, S.G., see J.K. Kim	(1–3)	291–295
Hendry, G.R.T., C.J. Knickerbocker, P.F. Lock and M. Sheard, Forbidden subgraphs of graphs uniquely Hamiltonian-connected from a vertex (*Note*)	(1–3)	281–290
Herscovici, D.S. and A.W. Higgins, The pebbling number of $C_5 \times C_5$	(1–3)	123–135
Higgins, A.W., see D.S. Herscovici	(1–3)	123–135
Jockusch, W., see G. Bohus	(1–3)	259–264
Juvan, M., B. Mohar and R. Škrekovski, On list edge-colorings of subcubic graphs	(1–3)	137–149
Kim, J.K. and S.G. Hahn, A new upper bound for binary codes with minimum distance four (*Note*)	(1–3)	291–295
Klavžar, S., H.M. Mulder and R. Škrekovski, An Euler-type formula for median graphs (*Communication*)	(1–3)	255–258
Knickerbocker, C.J., see G.R.T. Hendry	(1–3)	281–290
Lee, C.W., see G. Bohus	(1–3)	259–264
Lev, V.F., On consecutive subset sums	(1–3)	151–160
Lock, P.F., see G.R.T. Hendry	(1–3)	281–290
Manuel, P.D., see E. Dahlhaus	(1–3)	269–271
Meng, J. and M. Xu, On the isomorphism problem of Cayley graphs of Abelian groups	(1–3)	161–169
Miller, M., see E. Dahlhaus	(1–3)	269–271
Mohar, B., see M. Juvan	(1–3)	137–149
Mulder, H.M., see S. Klavžar	(1–3)	255–258
Pascovici, D., On the forced unilateral orientation number of a graph	(1–3)	171–183
Prabhu, N., see G. Bohus	(1–3)	259–264
Rautenbach, D. and L. Volkmann, The domatic number of block-cactus graphs	(1–3)	185–193

0012-365X/98/$19.00 Copyright © 1998 Elsevier Science B.V. All rights reserved
PII S0012-365X(98)00159-9

Rho, Y., An extremal problem concerning graphs not containing K_t and $K_{t,n-t}$ (1–3) 195–209
Sheard, M., see G.R.T. Hendry (1–3) 281–290
Škrekovski, R., see M. Juvan (1–3) 137–149
Škrekovski, R., see S. Klavžar (1–3) 255–258
Slater, P.J., see A.T. Amin (1–3) 1– 17
Volkmann, L., see D. Rautenbach (1–3) 185–193
Wang, H., Triangles in claw-free graphs (1–3) 233–244
Wang, B.-Y. and F. Zhang, On the precise number of (0, 1)-matrices in $\mathfrak{U}(R, S)$ (1–3) 211–220
Wang, H., Vortex-disjoint hexagons with chords in a bipartite graph (1–3) 221–231
Xu, M., see J. Meng (1–3) 161–169
Zhang, F., see B.-Y. Wang (1–3) 211–220
Žunić, J., Limit shape of convex lattice polygons having the minimal L_∞ diameter w.r.t. the number of their vertices (1–3) 245–254